



## Lifting Point

## Metric Thread (8-211)

Item No.	Working Load Limit tonnes*	Thread M	Dimensions (mm)										Torque	
			A	B	C	D	E	F	G	H	S	SW	in Nm	N.W. kg
8-211-003	0.3	M 8 x 1.25	30	35	35	10	11	85	55	29	6	13	30	0.2
8-211-006	0.63	M10 x 1.5	30	35	36	10	16	85	55	29	6	17	60	0.3
8-211-010	1	M12 x 1.75	33	37	44	14	18	98	57	36	8	19	100	0.5
8-211-012	1.2	M14 x 2	33	37	45	14	21	98	57	36	10	22	120	0.5
8-211-015	1.5	M16 x 2	33	37	46	14	24	98	57	36	10	24	150	0.5
8-211-020	2	M18 x 2	50	54	57	17	26	140	82	44	12	30	200	1.3
8-211-025	2.5	M20 x 2.5	50	54	57	17	30	140	82	44	12	30	250	1.3
8-211-040	4	M24 x 3	50	54	59	17	36	140	82	44	14	36	400	1.4
8-211-042	4	M27 x 3	60	65	79	23	38	170	99	62	17	41	400	2.8
8-211-050	5	M30 x 3.5	60	65	81	23	48	170	99	62	17	46	500	3.1
8-211-070	7	M36 x 4	60	65	74	23	54	170	99	65	22	55	700	3.3
8-211-080	8	M36 x 4	77	85	101	27	62	225	124	78	22	55	800	5.8
8-211-100	10	M42 x 4.5	77	85	104	27	72	225	124	78	24	65	1000	6.3
8-211-150	15	M42 x 4.5	95	104	112	36	63	256	158	86	24	65	1500	10.8
8-211-200	20	M48 x 5	95	104	120	36	72	259	158	90	27	75	2000	11.6

★ Design Factor 4:1

\*\* Bolt in GEOMET® finished on request